


Implant Platform





Genesis

Product Catalog



GENESIS



GENESIS
A KeystoneDentalGroup Brand

CONTENTS

Genesis

Ø 3.5/3.8 mm Workflow	6
Ø 3.5/3.8 mm Implants & Prosthetic Components	7
Ø 3.5/3.8 mm Prosthetic Components	8
Ø 4.5 mm Workflow	14
Ø 4.5 mm Implants & Prosthetic Components	15
Ø 4.5 mm Prosthetic Components	16
Ø 5.5/6.5 mm Workflow	22
Ø 5.5/6.5 mm Implants & Prosthetic Components	23
Ø 5.5/6.5 mm Prosthetic Components	24

Digital

Digital Workflow	30
Digital Prosthetic Components	31
Imagine™ Milling Services Workflow	32
Imagine™ Milling Services Prosthetic Components	33

LOCATOR® Abutments

LOCATOR® Workflow	38
LOCATOR® Prosthetic Components	39
LOCATOR R-Tx® Abutment	40

Prosthetic Instruments

Prosthetic Instruments	44
------------------------	----

Note: Final abutment screws included with all abutments.

Disclaimers: Images are not to scale. Some products may not be regulatory cleared/released for sale in all markets.

Surgical Kits & Instruments

Genesis Surgical Kit	46
Genesis Surgical Kit Instruments	48
Genesis Guided Surgical Kit	52
Genesis Guided Surgical Kit Instruments	54

Surgical Motors & Accessories

Surgical Motors	58
Surgical Motor Accessories	61

Terms & Conditions	63
--------------------	----


Ø 3.5/3.8

GENESIS



Ø 3.5/3.8 Workflow

Ø 3.5/3.8

WORKFLOW



Ø 3.5/3.8 Genesis® Implant



DESCRIPTION	REF #
Ø 3.5 × 10 mm	G21050
Ø 3.5 × 11.5 mm	G21051
Ø 3.5 × 13 mm	G21052
Ø 3.5 × 16 mm	G21053
Ø 3.8 × 8.5 mm	G21130
Ø 3.8 × 10 mm	G21131
Ø 3.8 × 11.5 mm	G21132
Ø 3.8 × 13 mm	G21133
Ø 3.8 × 16 mm	G21135

Cover Screw



DESCRIPTION	REF #
Ø 3.5/3.8 mm	15300K

Healing Abutment



DESCRIPTION	FLARE	CUFF	REF #
Ø 3.5/3.8 mm	4.0 mm	3.0 mm	G21103
Ø 3.5/3.8 mm	4.0 mm	5.0 mm	G21104
Ø 3.5/3.8 mm	5.0 mm	3.0 mm	G21105
Ø 3.5/3.8 mm	5.0 mm	5.0 mm	G21106

Open & Closed Tray Impression Post



DESCRIPTION	FLARE	REF #
Ø 3.5/3.8 mm	Straight	45130K
Ø 3.5/3.8 mm	4.0 mm	45136K
Ø 3.5/3.8 mm	5.0 mm	45131K

Open Tray Impression Post



DESCRIPTION	FLARE	REF #
Ø 3.5/3.8 mm	4.0 mm	45904K
Ø 3.5/3.8 mm	5.0 mm	45906K

Closed Tray Impression Post



DESCRIPTION	FLARE	REF #
Ø 3.5/3.8 mm	4.0 mm	45905K
Ø 3.5/3.8 mm	5.0 mm	45907K

Implant Analog



DESCRIPTION	REF #
Ø 3.5/3.8 mm, 1 Pack	G71107
Ø 3.5/3.8 mm, 10 Pack	G71108

Temporary Abutment



DESCRIPTION	FLARE	REF #
Ø 3.5/3.8 mm, Locking	4.0 mm	45118K
Ø 3.5/3.8 mm, Non-Locking	4.0 mm	45119K
Ø 3.5/3.8 mm, Locking	5.0 mm	45112K
Ø 3.5/3.8 mm, Non-Locking	5.0 mm	45113K

Ti Temporary Abutment/Ti Temporary Abutment, Immediate



DESCRIPTION	FLARE	CUFF	REF #
Ø 3.5/3.8 mm, Locking			G71144
Ø 3.5/3.8 mm, Non-Locking			G71145
Ø 3.5/3.8 mm, Immediate	4.0 mm	1.5 mm	45700K
Ø 3.5/3.8 mm, Immediate	4.0 mm	3.0 mm	45701K

TILOBE-TITE™ Aesthetic Contour Ti Abutment



DESCRIPTION	FLARE	CUFF	REF #
TI-LOBE TITE™ Ø 3.5/3.8 mm, Straight, Pack	4.0 mm	1.0 mm	G71581
TI-LOBE TITE™ Ø 3.5/3.8 mm, Straight, Pack	4.0 mm	2.0 mm	G71582
TI-LOBE TITE™ Ø 3.5/3.8 mm, Straight, Pack	5.0 mm	1.0 mm	G71583
TI-LOBE TITE™ Ø 3.5/3.8 mm, Straight, Pack	5.0 mm	3.0 mm	G71584
TI-LOBE TITE™ Laboratory Screw			45633K
TI-LOBE TITE™ Final Abutment Screw			45632K

Esthetic Contour Ti Abutment



DESCRIPTION	FLARE	CUFF	REF #
Ø 3.5/3.8 mm, Straight	4.0 mm	1.0 mm	G71202
Ø 3.5/3.8 mm, Straight	4.0 mm	2.0 mm	G71203
Ø 3.5/3.8 mm, Straight	5.0 mm	1.0 mm	G71204
Ø 3.5/3.8 mm, Straight	5.0 mm	3.0 mm	G71205
Ø 3.5/3.8 mm, 15° Angled	5.0 mm	1.0 mm	G71206
Ø 3.5/3.8 mm, 15° Angled	5.0 mm	3.0 mm	G71207

UCLA Abutment



DESCRIPTION	CUFF	REF #
Gold/Plastic Sleeve, Locking	1.0 mm	45100K
Gold/Plastic Sleeve, Non-Locking	1.0 mm	45101K

Final Abutment Screw



DESCRIPTION	REF #
1 Pack Final Abutment Screw	45060K
TI-LOBE TITE™ Final Abutment Screw	45632K

Laboratory Screw



DESCRIPTION	REF #
5 Pack Laboratory Screw	45061K
TI-LOBE TITE™ Laboratory Screw	45633K

Quick Packs




DESCRIPTION	FLARE	CUFF	REF #
Ø 3.5/3.8 mm	5.0 mm	1.0 mm	G71400
Ø 3.5/3.8 mm	5.0 mm	2.0 mm	G71401
Ø 3.5/3.8 mm	5.0 mm	3.0 mm	G71402
Ø 3.5/3.8 mm	5.0 mm	4.0 mm	G71403

Quick Abutment



DESCRIPTION	FLARE	CUFF	REF #
Ø 3.5/3.8 mm	5.0 mm	1.0 mm	G71434
Ø 3.5/3.8 mm	5.0 mm	2.0 mm	G71435
Ø 3.5/3.8 mm	5.0 mm	3.0 mm	G71436
Ø 3.5/3.8 mm	5.0 mm	4.0 mm	G71437

Quick Abutment Quick-Cap®

	DESCRIPTION	FLARE	REF #
	Ø 3.5/3.8 mm, 1 Pack	5.0 mm	45432K


Quick Abutment Temporary/Healing Cap

	DESCRIPTION	FLARE	REF #
	Ø 3.5/3.8 mm	5.0 mm	45209K

Quick Abutment Analog

	DESCRIPTION	FLARE	REF #
	Ø 3.5/3.8 mm	5.0 mm	45445K


Quick Abutment Plastic Sleeve

	DESCRIPTION	FLARE	REF #
	Ø 3.5/3.8 mm, Locking	5.0 mm	45215K
	Ø 3.5/3.8 mm, Non-Locking	5.0 mm	45218K

Multi-unit Abutment

	DESCRIPTION	CUFF	REF #
	Straight Abutment 0° MUA, RP Ø 3.5/3.8 mm	1.0 mm	40.408/1
	Straight Abutment 0° MUA, RP Ø 3.5/3.8 mm	2.0 mm	40.408/2
	Straight Abutment 0° MUA, RP Ø 3.5/3.8 mm	3.0 mm	40.408/3
	Straight Abutment 0° MUA, RP Ø 3.5/3.8 mm	4.0 mm	40.408/4
	Straight Abutment 0° MUA, RP Ø 3.5/3.8 mm	5.0 mm	40.408/5
	Angled Abutment 17° MUA, RP Ø 3.5/3.8 mm	3.0 mm	42.408/3
	Angled Abutment 17° MUA, RP Ø 3.5/3.8 mm	4.0 mm	42.408/4
	Angled Abutment 30° MUA, RP Ø 3.5/3.8 mm	3.0 mm	43.408/3
	Angled Abutment 30° MUA, RP Ø 3.5/3.8 mm	4.0 mm	43.408/4
	Angled Abutment 30° MUA, RP Ø 3.5/3.8 mm	5.0 mm	43.408/5

Multi-unit Abutment Prosthetic Components

	DESCRIPTION	REF #
	Scan Body, RP Intraoral	52.107
	Multi-unit Abutment Impression Post, RP, Open Tray	17.408
	Multi-unit Abutment Impression Post, RP, Closed Tray, 5H	17.107
	Multi-unit Abutment Impression Post, RP, Closed Tray, 8H	17.207
	Healing Abutment, MUA, RP	20.408/2
	Analog, MUA, RP	14.107
	Analog, RP, DIM with Screw, QUAD	14.007S/D
	Temporary Abutment, MUA, RP, Non-Engaging, 10H	24.408
	Temporary Abutment, MUA, RP, Non-Engaging, 15H	24.409
	Castable Abutment, MUA, RP, Plastic, Non-Engaging	28.408
	ANGLEBase®, RP Non-Engaging	36.107
	TiBase, RP Non-Engaging, Straight	15.453
	Screw DLC, MUA, Final, RP, QUAD Driver	19.223
	Screw DLC, MUA, Final, RP, 5-PK, QUAD Driver	19.223-P5
	Screw, Angled MUA, RP, DLC, QUAD	19.263
	ANGLEBase®, DLC Screw, RP, Torx	19.219
	Laboratory Handle Black	PHLABBLACK
	Driver, MUA	DTMURP
	ANGLEBase® Screwdriver 24mm	DT24TB06
	ANGLEBase® Screwdriver 30mm	DT30TB06

Ø 4.5


GENESIS

Ø 4.5 Workflow




4.5

WORKFLOW



Ø 4.5 Genesis® Implant



DESCRIPTION	REF #
Ø 4.5 × 8.5 mm	G21137
Ø 4.5 × 10 mm	G21138
Ø 4.5 × 11.5 mm	G21139
Ø 4.5 × 13 mm	G21140
Ø 4.5 × 16 mm	G21142

Cover Screw



DESCRIPTION	REF #
Ø 4.1/4.5 mm	15306K

Healing Abutment



DESCRIPTION	FLARE	CUFF	REF #
Ø 4.1/4.5 mm	5.0 mm	3.0 mm	G21107
Ø 4.1/4.5 mm	5.0 mm	5.0 mm	G21108
Ø 4.1/4.5 mm	6.0 mm	3.0 mm	G21109
Ø 4.1/4.5 mm	6.0 mm	5.0 mm	G21110

Open & Closed Tray Impression Post



DESCRIPTION	FLARE	REF #
Ø 4.1/4.5 mm	Straight	45132K
Ø 4.1/4.5 mm	5.0 mm	45137K
Ø 4.1/4.5 mm	6.0 mm	45133K

Open Tray Impression Post



DESCRIPTION	FLARE	REF #
Ø 4.1/4.5 mm	5.0 mm	45908K
Ø 4.1/4.5 mm	6.0 mm	45910K

Closed Tray Impression Post



DESCRIPTION	FLARE	REF #
Ø 4.1/4.5 mm	5.0 mm	45909K
Ø 4.1/4.5 mm	6.0 mm	45911K

Implant Analog



DESCRIPTION	REF #
Ø 4.5 mm, 1 Pack	G71109
Ø 4.5 mm, 10 Pack	G71110

Temporary Abutment



DESCRIPTION	FLARE	REF #
Ø 4.1/4.5 mm, Locking	5.0 mm	45120K
Ø 4.1/4.5 mm, Non-Locking	5.0 mm	45121K
Ø 4.1/4.5 mm, Locking	6.0 mm	45114K
Ø 4.1/4.5 mm, Non-Locking	6.0 mm	45115K

Ti Temporary Abutment/Ti Temporary Abutment, Immediate



DESCRIPTION	FLARE	CUFF	REF #
Ø 4.1/4.5 mm, Locking			G71146
Ø 4.1/4.5 mm, Non-Locking			G71147
Ø 4.1/4.5 mm, Immediate	4.0 mm	1.5 mm	45702K
Ø 4.1/4.5 mm, Immediate	4.0 mm	3.0 mm	45703K
Ø 4.1/4.5 mm, Immediate	5.0 mm	1.5 mm	45704K
Ø 4.1/4.5 mm, Immediate	5.0 mm	3.0 mm	45705K

TILOBE-TITE™ Aesthetic Contour Ti Abutment



DESCRIPTION	FLARE	CUFF	REF #
TI-LOBE TITE™ Ø 4.1/4.5 mm, Straight, Pack	5.0 mm	0.5 mm	G71585
TI-LOBE TITE™ Ø 4.1/4.5 mm, Straight, Pack	5.0 mm	1.5 mm	G71586
TI-LOBE TITE™ Ø 4.1/4.5 mm, Straight, Pack	6.0 mm	1.0 mm	G71587
TI-LOBE TITE™ Ø 4.1/4.5 mm, Straight, Pack	6.0 mm	3.0 mm	G71588
TI-LOBE TITE™ Laboratory Screw			45633K
TI-LOBE TITE™ Final Abutment Screw			45632K

Esthetic Contour Ti Abutment



DESCRIPTION	FLARE	CUFF	REF #
Ø 4.1/4.5 mm, Straight	5.0 mm	0.5 mm	G71208
Ø 4.1/4.5 mm, Straight	5.0 mm	1.5 mm	G71209
Ø 4.1/4.5 mm, Straight	6.0 mm	1.0 mm	G71212
Ø 4.1/4.5 mm, Straight	6.0 mm	3.0 mm	G71213
Ø 4.1/4.5 mm, 15° Angled	6.0 mm	1.0 mm	G71210
Ø 4.1/4.5 mm, 15° Angled	6.0 mm	3.0 mm	G71211
Ø 4.1/4.5 mm, 15° Angled	6.0 mm	1.0 mm	G71214
Ø 4.1/4.5 mm, 15° Angled	6.0 mm	3.0 mm	G71215

UCLA Abutment



DESCRIPTION	CUFF	REF #
Gold/Plastic Sleeve, Locking	1.0 mm	45102K
Gold/Plastic Sleeve, Non-Locking	1.0 mm	45103K

Final Abutment Screw



DESCRIPTION	REF #
1 Pack Final Abutment Screw	45060K
TI-LOBE TITE™ Final Abutment Screw	45632K

Laboratory Screw



DESCRIPTION	REF #
5 Pack Laboratory Screw	45061K
TI-LOBE TITE™ Laboratory Screw	45633K

Quick Packs



DESCRIPTION	FLARE	CUFF	REF #
Ø 4.1/4.5 mm	5.0 mm	0.5 mm	G71404
Ø 4.1/4.5 mm	5.0 mm	1.5 mm	G71405
Ø 4.1/4.5 mm	5.0 mm	2.5 mm	G71406
Ø 4.1/4.5 mm	5.0 mm	4.0 mm	G71407
Ø 4.1/4.5 mm	6.0 mm	0.5 mm	G71408
Ø 4.1/4.5 mm	6.0 mm	1.5 mm	G71409
Ø 4.1/4.5 mm	6.0 mm	2.5 mm	G71410
Ø 4.1/4.5 mm	6.0 mm	4.0 mm	G71411

Quick Abutment



DESCRIPTION	FLARE	CUFF	REF #
Ø 4.1/4.5 mm	5.0 mm	0.5 mm	G71438
Ø 4.1/4.5 mm	5.0 mm	1.5 mm	G71439
Ø 4.1/4.5 mm	5.0 mm	2.5 mm	G71440
Ø 4.1/4.5 mm	5.0 mm	4.0 mm	G71441
Ø 4.1/4.5 mm	6.0 mm	0.5 mm	G71442
Ø 4.1/4.5 mm	6.0 mm	1.5 mm	G71443
Ø 4.1/4.5 mm	6.0 mm	2.5 mm	G71444
Ø 4.1/4.5 mm	6.0 mm	4.0 mm	G71445

Quick Abutment Quick-Cap®



DESCRIPTION	FLARE	REF #
Ø 4.1/4.5 mm, 1 Pack	5.0 mm	45443K
Ø 4.1/4.5 mm, 1 Pack	6.0 mm	45433K

Quick Abutment Temporary/Healing Cap



DESCRIPTION	FLARE	REF #
Ø 4.1/4.5 mm	5.0 mm	45236K
Ø 4.1/4.5 mm	6.0 mm	45210K

Quick Abutment Analog



DESCRIPTION	FLARE	REF #
Ø 4.1/4.5 mm	5.0 mm	45448K
Ø 4.1/4.5 mm	6.0 mm	45446K

Quick Abutment Plastic Sleeve









DESCRIPTION	FLARE	REF #
Ø 4.1/4.5 mm, Locking	5.0 mm	45240K
Ø 4.1/4.5 mm, Non-Locking	5.0 mm	45242K
Ø 4.1/4.5 mm, Locking	6.0 mm	45216K
Ø 4.1/4.5 mm, Non-Locking	6.0 mm	45219K

Multi-unit Abutment

	DESCRIPTION	CUFF	REF #
	Straight Abutment 0° MUA, RP Ø 4.1/4.5 mm	1.0 mm	40.409/1
	Straight Abutment 0° MUA, RP Ø 4.1/4.5 mm	2.0 mm	40.409/2
	Straight Abutment 0° MUA, RP Ø 4.1/4.5 mm	3.0 mm	40.409/3
	Straight Abutment 0° MUA, RP Ø 4.1/4.5 mm	4.0 mm	40.409/4
	Straight Abutment 0° MUA, RP Ø 4.1/4.5 mm	5.0 mm	40.409/5
	Angled Abutment 17° MUA, RP Ø 4.1/4.5 mm	3.0 mm	42.409/3
	Angled Abutment 17° MUA, RP Ø 4.1/4.5 mm	4.0 mm	42.409/4
	Angled Abutment 30° MUA, RP Ø 4.1/4.5 mm	3.0 mm	43.409/3
	Angled Abutment 30° MUA, RP Ø 4.1/4.5 mm	4.0 mm	43.409/4
	Angled Abutment 30° MUA, RP Ø 4.1/4.5 mm	5.0 mm	43.409/5

Multi-unit Abutment Prosthetic Components

	DESCRIPTION	REF #
	Scan Body, RP Intraoral	52.107
	Multi-unit Abutment Impression Post, RP, Open Tray	17.408
	Multi-unit Abutment Impression Post, RP, Closed Tray, 5H	17.107
	Multi-unit Abutment Impression Post, RP, Closed Tray, 8H	17.207
	Healing Abutment, MUA, RP	20.408/2
	Analog, MUA, RP	14.107
	Analog, RP, DIM with Screw, QUAD	14.007S/D
	Temporary Abutment, MUA, RP, Non-Engaging, 10H	24.408
	Temporary Abutment, MUA, RP, Non-Engaging, 15H	24.409
	Castable Abutment, MUA,RP, Plastic, Non-Engaging	28.408
	ANGLEBase®, RP Non-Engaging	36.107
	TiBase, RP Non-Engaging, Straight	15.453
	Screw DLC, MUA, Final, RP, QUAD Driver	19.223
	Screw DLC, MUA, Final, RP, 5-PK, QUAD Driver	19.223-P5
	Screw, Angled MUA, RP, DLC, QUAD	19.263
	ANGLEBase®, DLC Screw, RP, Torx	19.219
	Laboratory Handle Black	PHLABBLACK
	Driver, MUA	DTMURP
	ANGLEBase® Screwdriver 24mm	DT24TB06
	ANGLEBase® Screwdriver 30mm	DT30TB06


Ø 5.5/6.5

GENESIS

Ø 5.5/6.5 Workflow

Ø 5.5/6.5

WORKFLOW



Ø 5.5/6.5 Genesis® Implant



DESCRIPTION	REF #
Ø 5.5 × 8.5 mm	G21144
Ø 5.5 × 10 mm	G21145
Ø 5.5 × 11.5 mm	G21146
Ø 5.5 × 13 mm	G21147
Ø 6.5 × 8.5 mm	G21150
Ø 6.5 × 10 mm	G21151
Ø 6.5 × 11.5 mm	G21152
Ø 6.5 × 13 mm	G21153

Cover Screw



DESCRIPTION	REF #
Ø 5.0/5.5/6.5 mm	15312K

Healing Abutment



DESCRIPTION	FLARE	CUFF	REF #
Ø 5.0/5.5/6.5 mm	5.0 mm	3.0 mm	G21111
Ø 5.0/5.5/6.5 mm	5.0 mm	5.0 mm	G21112
Ø 5.0/5.5/6.5 mm	6.0 mm	3.0 mm	G21113
Ø 5.0/5.5/6.5 mm	6.0 mm	5.0 mm	G21114
Ø 5.0/5.5/6.5 mm	7.0 mm	3.0 mm	G21296
Ø 5.0/5.5/6.5 mm	7.0 mm	5.0 mm	G21297
Ø 5.0/5.5/6.5 mm	8.0 mm	3.0 mm	G21298
Ø 5.0/5.5/6.5 mm	8.0 mm	5.0 mm	G21299

Open & Closed Tray Impression Post



DESCRIPTION	FLARE	REF #
Ø 5.0/5.5/6.5 mm	Straight	45134K
Ø 5.0/5.5 mm	5.0 mm	45138K
Ø 5.0/5.5/6.5 mm	6.0 mm	45135K

Open Tray Impression Post



DESCRIPTION	FLARE	REF #
Ø 5.0/5.5/6.5 mm	5.0 mm	45912K
Ø 5.0/5.5/6.5 mm	6.0 mm	45914K
Ø 5.0/5.5/6.5 mm	7.0 mm	45916K
Ø 5.0/5.5/6.5 mm	8.0 mm	45918K

Closed Tray Impression Post



DESCRIPTION	FLARE	REF #
Ø 5.0/5.5/6.5 mm	5.0 mm	45913K
Ø 5.0/5.5/6.5 mm	6.0 mm	45915K
Ø 5.0/5.5/6.5 mm	7.0 mm	45917K
Ø 5.0/5.5/6.5 mm	8.0 mm	45919K

Implant Analog




DESCRIPTION	REF #
Ø 5.5 mm, 1 Pack	G71111
Ø 5.5 mm, 10 Pack	G71112
Ø 6.5 mm, 1 Pack	G71113
Ø 6.5 mm, 10 Pack	G71114

Temporary Abutment



DESCRIPTION	FLARE	REF #
Ø 5.0/5.5 mm, Locking	5.0 mm	45122K
Ø 5.0/5.5 mm, Non-Locking	5.0 mm	45123K
Ø 5.0/5.5/6.5 mm, Locking	6.0 mm	45116K
Ø 5.0/5.5/6.5 mm, Non-Locking	6.0 mm	45117K

Ti Temporary Abutment/Ti Temporary Abutment, Immediate



DESCRIPTION	FLARE	CUFF	REF #
Ø 5.0/5.5/6.5 mm, Locking			G71148
Ø 5.0/5.5/6.5 mm, Non-Locking			G71149
Ø 5.0/5.5/6.5 mm, Immediate	5.0 mm	1.5 mm	45706K
Ø 5.0/5.5/6.5 mm, Immediate	5.0 mm	3.0 mm	45707K

TILOBE-TITE™ Aesthetic Contour Ti Abutment



DESCRIPTION	FLARE	CUFF	REF #
TI-LOBE TITE™ Ø 5.0/5.5/6.5 mm, Straight, Pack	5.0 mm	0.5 mm	G71589
TI-LOBE TITE™ Ø 5.0/5.5/6.5 mm, Straight, Pack	5.0 mm	1.5 mm	G71590
TI-LOBE TITE™ Ø 5.0/5.5/6.5 mm, Straight, Pack	6.0 mm	1.0 mm	G71591
TI-LOBE TITE™ Ø 5.0/5.5/6.5 mm, Straight, Pack	6.0 mm	3.0 mm	G71592
TI-LOBE TITE™ Laboratory Screw			45633K
TI-LOBE TITE™ Final Abutment Screw			45632K

Esthetic Contour Ti Abutment



DESCRIPTION	FLARE	CUFF	REF #
Ø 5.0/5.5 mm, Straight	5.0 mm	0.5 mm	G71216
Ø 5.0/5.5 mm, Straight	5.0 mm	1.5 mm	G71217
Ø 5.0/5.5 mm, 15° Angled	5.0 mm	0.5 mm	G71218
Ø 5.0/5.5 mm, 15° Angled	5.0 mm	1.5 mm	G71219
Ø 5.0/5.5/6.5 mm, Straight	6.0 mm	1.0 mm	G71220
Ø 5.0/5.5/6.5 mm, Straight	6.0 mm	3.0 mm	G71221
Ø 5.0/5.5/6.5 mm, Straight	6.0 mm	1.0 mm	G71220
Ø 5.0/5.5/6.5 mm, Straight	6.0 mm	1.0 mm	G71221
Ø 5.0/5.5/6.5 mm, 15° Angled	6.0 mm	3.0 mm	G71222

UCLA Abutment



DESCRIPTION	CUFF	REF #
Gold/Plastic Sleeve, Locking	1.0 mm	45104K
Gold/Plastic Sleeve, Non-Locking	1.0 mm	45105K

Final Abutment Screw



DESCRIPTION	REF #
1 Pack Final Abutment Screw	45060K
TI-LOBE TITE™ Final Abutment Screw	45632K

Laboratory Screw



DESCRIPTION	REF #
5 Pack Laboratory Screw	45061K
TI-LOBE TITE™ Laboratory Screw	45633K

Quick Packs



DESCRIPTION	FLARE	CUFF	REF #
Ø 5.0/5.5 mm	5.0 mm	0.5 mm	G71412
Ø 5.0/5.5 mm	5.0 mm	1.5 mm	G71413
Ø 5.0/5.5 mm	5.0 mm	2.5 mm	G71414
Ø 5.0/5.5 mm	5.0 mm	4.0 mm	G71415
Ø 5.0/5.5/6.5 mm	6.0 mm	0.5 mm	G71416
Ø 5.0/5.5/6.5 mm	6.0 mm	1.5 mm	G71417
Ø 5.0/5.5/6.5 mm	6.0 mm	2.5 mm	G71418
Ø 5.0/5.5/6.5 mm	6.0 mm	4.0 mm	G71419

Quick Abutment



DESCRIPTION	FLARE	CUFF	REF #
Ø 5.0/5.5 mm	5.0 mm	0.5 mm	G71446
Ø 5.0/5.5 mm	5.0 mm	1.5 mm	G71447
Ø 5.0/5.5 mm	5.0 mm	2.5 mm	G71448
Ø 5.0/5.5 mm	5.0 mm	4.0 mm	G71449
Ø 5.0/5.5/6.5 mm	6.0 mm	0.5 mm	G71450
Ø 5.0/5.5/6.5 mm	6.0 mm	1.5 mm	G71451
Ø 5.0/5.5/6.5 mm	6.0 mm	2.5 mm	G71452
Ø 5.0/5.5/6.5 mm	6.0 mm	4.0 mm	G71453

Quick Abutment Quick-Cap®



DESCRIPTION	FLARE	REF #
Ø 5.0/5.5 mm, 1 Pack	5.0 mm	45444K
Ø 5.0/5.5/6.5 mm, 1 Pack	6.0 mm	45434K

Quick Abutment Temporary/Healing Cap



DESCRIPTION	FLARE	REF #
Ø 5.0/5.5 mm	5.0 mm	45237K
Ø 5.0/5.5/6.5 mm	6.0 mm	45211K

Quick Abutment Analog



DESCRIPTION	FLARE	REF #
Ø 5.0/5.5 mm	5.0 mm	45449K
Ø 5.0/5.5/6.5 mm	6.0 mm	45447K

Quick Abutment Plastic Sleeve



DESCRIPTION	FLARE	REF #
Ø 5.0/5.5 mm, Locking	5.0 mm	45241K
Ø 5.0/5.5 mm, Non-Locking	5.0 mm	45243K
Ø 5.0/5.5/6.5 mm, Locking	6.0 mm	45217K
Ø 5.0/5.5/6.5 mm, Non-Locking	6.0 mm	45220K

Multi-unit Abutment

	DESCRIPTION	CUFF	REF #
	Straight Abutment 0° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	1.0 mm	40.410/1
	Straight Abutment 0° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	2.0 mm	40.410/2
	Straight Abutment 0° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	3.0 mm	40.410/3
	Straight Abutment 0° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	4.0 mm	40.410/4
	Straight Abutment 0° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	5.0 mm	40.410/5
	Angled Abutment 17° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	3.0 mm	42.410/3
	Angled Abutment 17° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	4.0 mm	42.410/4
	Angled Abutment 17° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	5.0 mm	42.410/5
	Angled Abutment 30° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	3.0 mm	43.410/3
	Angled Abutment 30° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	4.0 mm	43.410/4
	Angled Abutment 30° MUA, RP Ø 5.0/5.5/6.0/6.5 mm	5.0 mm	43.410/5

Multi-unit Abutment Prosthetic Components

	DESCRIPTION	REF #
	Scan Body, RP Intraoral	52.107
	Multi-unit Abutment Impression Post, RP, Open Tray	17.408
	Multi-unit Abutment Impression Post, RP, Closed Tray, 5H	17.107
	Multi-unit Abutment Impression Post, RP, Closed Tray, 8H	17.207
	Healing Abutment, MUA, RP	20.408/2
	Analog, MUA, RP	14.107
	Analog, RP, DIM with Screw, QUAD	14.007S/D
	Temporary Abutment, MUA, RP, Non-Engaging, 10H	24.408
	Temporary Abutment, MUA, RP, Non-Engaging, 15H	24.409
	Castable Abutment, MUA, RP, Plastic, Non-Engaging	28.408
	ANGLEBase®, RP Non-Engaging	36.107
	TiBase, RP Non-Engaging, Straight	15.453
	Screw DLC, MUA, Final, RP, QUAD Driver	19.223
	Screw DLC, MUA, Final, RP, 5-PK, QUAD Driver	19.223-P5
	Screw, Angled MUA, RP, DLC, QUAD	19.263
	ANGLEBase®, DLC Screw, RP, Torx	19.219
	Laboratory Handle Black	PHLABBLACK
	Driver, MUA	DTMURP
	ANGLEBase® Screwdriver 24mm	DT24TB06
	ANGLEBase® Screwdriver 30mm	DT30TB06


GENESIS

DIGITAL TALAT


PROSTHETIC
COMPONENTS

DIGITAL TALENT


WORKFLOW



Scan Body

	DESCRIPTION	REF #
	Ø 3.5/3.8	52.408
	Ø 4.1/4.5	52.409
	Ø 5.0/5.5/6.0/6.5	52.410

Digital Analog

	DESCRIPTION	REF #
	Ø 3.5/3.8	
	Ø 4.1/4.5	14.408
	Ø 5.0/5.5/6.0/6.5	14.409
		14.410

TiBase and Components

	DESCRIPTION	CUFF	REF #
	Engaging, Ø3.5/3.8	1.0mm	16.408
	Non-Engaging, Ø3.5/3.8	1.0mm	15.408
	Engaging, Ø3.5/3.8	2.0mm	16.408/2
	Non-Engaging, Ø3.5/3.8	2.0mm	15.408/2
	Engaging, Ø3.5/3.8	3.0mm	16.408/3
	Non-Engaging, Ø3.5/3.8	3.0mm	15.408/3
	Engaging, Ø4.1/4.5	1.0mm	16.409
	Non-Engaging, Ø4.1/4.5	1.0mm	15.409
	Engaging, Ø4.1/4.5	2.0mm	16.409/2
	Non-Engaging, Ø4.1/4.5	2.0mm	15.409/2
	Engaging, Ø4.1/4.5	3.0mm	16.409/3
	Non-Engaging, Ø4.1/4.5	3.0mm	15.409/3
	Engaging, Ø5.0/5.5/6.0/6.5	1.0mm	16.410
	Non-Engaging, Ø5.0/5.5/6.0/6.5	1.0mm	15.410
	Engaging, Ø5.0/5.5/6.0/6.5	2.0mm	16.410/2
	Non-Engaging, Ø5.0/5.5/6.0/6.5	2.0mm	15.410/2
	Engaging, Ø5.0/5.5/6.0/6.5	3.0mm	16.410/3
	Non-Engaging, Ø5.0/5.5/6.0/6.5	3.0mm	15.410/3
	Titanium Blank, Premill, Ø3.5/3.8, 10mm H		60.408
	Titanium Blank, Premill, Ø4.1/4.5, 10mm H		60.409
	Titanium Blank, Premill, Ø5.0/5.5/6.0/6.5, 10mm H		60.410
	Titanium Blank, Premill, Ø5.0/5.5/6.0/6.5, 14mm H		64.410
	Screw, TiBase/Blank, DLC, QUAD		19.251
	ANGLEBase® Engaging, Ø 3.5/3.8, 4.0 H	1.0mm	37.408
	ANGLEBase® Engaging, Ø 4.1/4.5, 4.0 H	1.0mm	37.409
	ANGLEBase® Engaging, Ø 5.0/5.5/6.0/6.5, 4.0 H	1.0mm	37.410
	ANGLEBase® Non-Engaging, Ø 3.5/3.8, 4.0 H	1.0mm	36.408
	ANGLEBase® Non-Engaging, Ø 4.1/4.5, 4.0 H	1.0mm	36.409
	ANGLEBase® Non-Engaging, Ø 5.0/5.5/6.0/6.5, 4.0 H	1.0mm	36.410
	ANGLEBase®, Screw, DLC, Torx Driver		19.203


GENESIS

Imagine™ Milling Services Workflow




DIGITAL TAAWT


WORKFLOW




Digital Scan Body

	DESCRIPTION	REF #
	Mist IC Scan Body KEP 3.5	IM-SBKEP35
	Mist IC Scan Body KEP 4.1	IM-SBKEP41
	Mist IC Scan Body KEP 5.0	IM-SBKEP50


Digital Analog

	DESCRIPTION	REF #
	Mist IC 3D Analog 3.5	IM-3DKEP35
	Mist IC 3D Analog 4.1	IM-3DKEP41
	Mist IC 3D Analog 5.0	IM-3DKEP50


TiBase, Locking

	DESCRIPTION	REF #
	Mist IC L-Link Single KEP 3.5	IM-LLKEP35
	Mist IC L-Link Single KEP 4.1	IM-LLKEP41
	Mist IC L-Link Single KEP 5.0	IM-LLKEP50


TiBase, Non-Locking

	DESCRIPTION	REF #
	Mist IC L-Link Bridge KEP 3.5	IM-LLKEP35N
	Mist IC L-Link Bridge KEP 4.1	IM-LLKEP41N
	Mist IC L-Link Bridge KEP 5.0	IM-LLKEP50N


TiBase Angulated Screw Channel

	DESCRIPTION	REF #
	Mist IC S-Link KEP 3.5	IM-SLKEP35
	Mist IC S-Link KEP 4.1	IM-SLKEP41
	Mist IC S-Link KEP 5.0	IM-SLKEP50


Ti Blanks 10

	DESCRIPTION	REF #
	Mist IC PreFit10 KEP 3.5	IM-PF10KEP35
	Mist IC PreFit10 KEP 4.1	IM-PF10KEP41
	Mist IC PreFit10 KEP 5.0	IM-PF10KEP50

Ti Blanks 14

	DESCRIPTION	REF #
	Mist IC PreFit14 KEP 3.5	IM-PF14KEP35
	Mist IC PreFit14 KEP 4.1	IM-PF14KEP41
	Mist IC PreFit14 KEP 5.0	IM-PF14KEP50

Final Abutment Screw

	DESCRIPTION	REF #
	Mist IC Screw KEP, 5 Pack	IM-SCKEP
	Mist IC Angle Screw KEP, 5 Pack	IM-SCKEPUV

Angulated Abutment Driver

	DESCRIPTION	REF #
	Mist IC Angled Latch Driver, Regular, 13 mm	IM-ALDUVR
	Mist IC Angled Latch Driver, Long, 20 mm	IM-ALDUVL
	Mist IC Angled Square Driver, Regular, 13 mm	IM-ASDUVR
	Mist IC Angled Square Driver, Long, 20 mm	IM-ASDUVL

Quad Driver

	DESCRIPTION	REF #
	Swivel Head, Short, 19mm	15272K
	Swivel Head, Long, 26 mm	15273K
	Swivel Head, X-Long, 35mm	45293K
	Latch Type, Short, 23 mm	15274K
	Latch Type, Long, 28 mm	15275K
	Latch Type, X-Long, 35 mm	45294K
	Torque Wrench, Short, 16 mm	15276K
	Torque Wrench, Long, 22 mm	15277K


GENESIS

LOCATOR[®]


PROSTHETIC
COMPONENTS

LOCATOR®[®]


WORKFLOW



LOCATOR® Abutment Assembly

	DESCRIPTION	CUFF	REF #
	Ø 3.5/3.8 mm	1.0 mm	45062K
	Ø 3.5/3.8 mm	2.0 mm	45258K
	Ø 3.5/3.8 mm	3.0 mm	45259K
	Ø 3.5/3.8 mm	4.0 mm	45260K
	Ø 3.5/3.8 mm	5.0 mm	45063K
	Ø 3.5/3.8 mm	6.0 mm	45064K
	Ø 4.1/4.5 mm	1.0 mm	45065K
	Ø 4.1/4.5 mm	2.0 mm	45261K
	Ø 4.1/4.5 mm	3.0 mm	45262K
	Ø 4.1/4.5 mm	4.0 mm	45263K
	Ø 4.1/4.5 mm	5.0 mm	45066K
	Ø 4.1/4.5 mm	6.0 mm	45067K
	Ø 5.0/5.5/6.5 mm	1.0 mm	45068K
	Ø 5.0/5.5/6.5 mm	2.0 mm	45264K
	Ø 5.0/5.5/6.5 mm	3.0 mm	45265K
	Ø 5.0/5.5/6.5 mm	4.0 mm	45069K
	Ø 5.0/5.5/6.5 mm	5.0 mm	45070K
	Ø 5.0/5.5/6.5 mm	6.0 mm	45071K

LOCATOR® Abutment Accessories

	DESCRIPTION	REF #
	Dental Cap with Black Processing Male, Clear, Pink, Blue Retention, Block out spacers, 2 Pack	LOC-8519-2
	LOCATOR® Replacement Male, Clear, Standard Retention, 4 Pack	LOC-8524
	LOCATOR® Replacement Male, Pink, Light Retention, 4 Pack	LOC-8527
	LOCATOR® Replacement Male, Blue, (ELR) Extra Light Retention, 4 Pack	LOC-8529
	LOCATOR® Replacement Male, Green, (ER) Extended Range, 4 Pack	LOC-8547
	LOCATOR® Female Analog, 4 Pack	LOC-8530
	LOCATOR® Impression Coping, 4 Pack	LOC-8505
	LOCATOR® Core Tool	LOC-8393
	LOCATOR® Torque Wrench Driver	LOC-8926

LOCATOR R-Tx® Abutment Assembly

	DESCRIPTION	CUFF	REF #
	Ø 3.5/3.8 mm	1.0 mm	LOCR-TX 31200-01
	Ø 3.5/3.8 mm	2.0 mm	LOCR-TX 31200-02
	Ø 3.5/3.8 mm	3.0 mm	LOCR-TX 31200-03
	Ø 3.5/3.8 mm	4.0 mm	LOCR-TX 31200-04
	Ø 3.5/3.8 mm	5.0 mm	LOCR-TX 31200-05
	Ø 3.5/3.8 mm	6.0 mm	LOCR-TX 31200-06
	Ø 4.1/4.5 mm	1.0 mm	LOCR-TX 31201-01
	Ø 4.1/4.5 mm	2.0 mm	LOCR-TX 31201-02
	Ø 4.1/4.5 mm	3.0 mm	LOCR-TX 31201-03
	Ø 4.1/4.5 mm	4.0 mm	LOCR-TX 31201-04
	Ø 4.1/4.5 mm	5.0 mm	LOCR-TX 31201-05
	Ø 4.1/4.5 mm	6.0 mm	LOCR-TX 31201-06
	Ø 5.0/5.5/6.5 mm	1.0 mm	LOCR-TX 31202-01
	Ø 5.0/5.5/6.5 mm	2.0 mm	LOCR-TX 31202-02
	Ø 5.0/5.5/6.5 mm	3.0 mm	LOCR-TX 31202-03
	Ø 5.0/5.5/6.5 mm	4.0 mm	LOCR-TX 31202-04
	Ø 5.0/5.5/6.5 mm	5.0 mm	LOCR-TX 31202-05
	Ø 5.0/5.5/6.5 mm	6.0 mm	LOCR-TX 31202-06

LOCATOR R-Tx® Abutment Accessories

	DESCRIPTION	REF #
	Denture Attachment Processing Assembly, 4 Pack	LOCR-TX 30013-01
	Zero Retention Insert, 4 Pack	LOCR-TX 30001-01
	Low Retention Insert, 4 Pack	LOCR-TX 30002-01
	Medium Retention Insert, 4 Pack	LOCR-TX 30003-01
	High Retention Insert, 4 Pack	LOCR-TX 30004-01
	3.5 mm Abutment Analog, 4 Pack	LOCR-TX 30014-01
	4.0 mm Abutment Analog, 4 Pack	LOCR-TX 30015-01
	5.0 mm Abutment Analog, 4 Pack	LOCR-TX 30016-01
	Impression Coping, 4 Pack	LOCR-TX 30017-01
	Retention Insert Tool	LOCR-TX 30021-01
	.050"/1.25 mm Hex, Torque Wrench	LOCR-TX 04936
	.050"/1.25 mm Hex Driver with Thumb Knob	LOCR-TX 08007
	.050"/1.25 mm Hex, Latch Lock Driver	LOCR-TX 08008
	Processing Insert, 4 Pack	LOCR-TX 30012-01
	Processing Spacer, 4 Pack	LOCR-TX 30018-01

GENESIS


PROSTHETIC

INSTRUMENTS

Quad Driver

	DESCRIPTION	REF #
	Swivel Head, Short, 19mm	15272K
	Swivel Head, Long, 26 mm	15273K
	Swivel Head, X-Long, 35mm	45293K
	Latch Type, Short, 23 mm	15274K
	Latch Type, Long, 28 mm	15275K
	Latch Type, X-Long, 35 mm	45294K
	Torque Wrench, Short, 16 mm	15276K
	Torque Wrench, Long, 22 mm	15277K


Conversion Handles

	DESCRIPTION	REF #
	Conversion Handle, Latch Type	G21277
	Conversion Handle, Square Type	G21278

Angulated Abutment Driver

	DESCRIPTION	REF #
	Mist IC Angled Latch Driver, Regular, 13 mm	IM-ALDUVR
	Mist IC Angled Latch Driver, Long, 20 mm	IM-ALDUVL
	Mist IC Angled Square Driver, Regular, 13 mm	IM-ASDUVR
	Mist IC Angled Square Driver, Long, 20 mm	IM-ASDUVL

Prosthetic Kit

	DESCRIPTION	REF #
	Prosthetic Kit (Empty)	45957K

Titanium Temporary Immediate Abutment Driver

	DESCRIPTION	REF #
	Hex Driver	GA71644

Multi-unit Driver

	DESCRIPTION	REF #
	Driver, MUA	DTMURP
	ANGLEBase® Screwdriver 24mm	DT24TB06
	ANGLEBase® Screwdriver 30mm	DT30TB06

GENESIS

SURGICAL

KIT

SURGICAL KIT

KIT



DESCRIPTION

REF #

Surgical Cassette (Empty)	G31000
Genesis® Surgical Kit for Ø 3.5 - Ø 4.5 mm	G31001
Genesis® Drill Pack for Ø 5.5 - Ø 6.5 mm	G31002

Genesis® Surgical Kit Drill Pack for Ø 5.5 - 6.5 mm

G31002

DESCRIPTION

REF #



Final Tapered Drill Ø 5.5 × 8.5 mm	G31023
Final Tapered Drill Ø 5.5 × 10 mm	G31024
Final Tapered Drill Ø 5.5 × 11.5 mm	G31025
Final Tapered Drill Ø 5.5 × 13 mm	G31026
Final Tapered Drill Ø 6.5 × 8.5 mm	G31027
Final Tapered Drill Ø 6.5 × 10 mm	G31028
Final Tapered Drill Ø 6.5 × 11.5 mm	G31029
Final Tapered Drill Ø 6.5 × 13 mm	G31030
Implant Depth Gauge Ø 5.5 × 8.5 - 10 mm	G31039
Implant Depth Gauge Ø 5.5 × 11.5 - 13 mm	G31040
Implant Depth Gauge Ø 6.5 × 8.5 - 10 mm	G31041
Implant Depth Gauge Ø 6.5 × 11.5 - 13 mm	G31042
Ø 5.5/6.5 Implant Driver, Latch, Short	15774K
Ø 5.5/6.5 Implant Driver, Latch, Long	15775K
Ø 5.5/6.5 Implant Driver, Ratchet	15284K
Implant Driver, Latch IFU	100052-EN01

Genesis® Surgical Kit for Ø 3.5 - 4.5 mm


G31001

DESCRIPTION	REF #
Surgical Cassette	G31000
2.0 mm Full Depth Twist Drill	G21244
Parallel Pin, 4 Pack	G21211
Final Tapered Drill Ø 3.5 × 8.5 mm	G31008
Final Tapered Drill Ø 3.5 × 10 mm	G31009
Final Tapered Drill Ø 3.5 × 11.5 mm	G31010
Final Tapered Drill Ø 3.5 × 13 mm	G31011
Final Tapered Drill Ø 3.5 × 16 mm	G31012
Final Tapered Drill Ø 3.8 × 8.5 mm	G31013
Final Tapered Drill Ø 3.8 × 10 mm	G31014
Final Tapered Drill Ø 3.8 × 11.5 mm	G31015
Final Tapered Drill Ø 3.8 × 13 mm	G31016
Final Tapered Drill Ø 3.8 × 16 mm	G31017
Final Tapered Drill Ø 4.5 × 8.5 mm	G31018
Final Tapered Drill Ø 4.5 × 10 mm	G31019
Final Tapered Drill Ø 4.5 × 11.5 mm	G31020
Final Tapered Drill Ø 4.5 × 13 mm	G31021
Final Tapered Drill Ø 4.5 × 16 mm	G31022
Implant Depth Gauge Ø 3.5 × 10 - 11.5 mm	G31031
Implant Depth Gauge Ø 3.5 × 13 - 16 mm	G31032
Implant Depth Gauge Ø 3.8 × 8.5 - 10 mm	G31033
Implant Depth Gauge Ø 3.8 × 11.5 - 13 mm	G31034
Implant Depth Gauge Ø 3.8 × 16 mm	G31035
Implant Depth Gauge Ø 4.5 × 8.5 - 10 mm	G31036
Implant Depth Gauge Ø 4.5 × 11.5 - 13 mm	G31037
Implant Depth Gauge Ø 4.5 × 16 mm	G31038
Ø 3.5/3.8 Implant Driver, Latch, Short	15770K
Ø 3.5/3.8 Implant Driver, Latch, Long	15771K
Ø 4.1/4.5 Implant Driver, Latch, Short	15772K
Ø 4.1/4.5 Implant Driver, Latch, Long	15773K
Ø 3.5/3.8 Implant Driver, Ratchet	15282K
Ø 4.1/4.5 Implant Driver, Ratchet	15283K
Surgical Ratchet/Torque Wrench	K15695
Ratchet Adapter	15224K
Quad Driver, Torque Wrench, Short	15276K
Quad Driver, Torque Wrench, Long	15277K
Quad Driver, Swivel Head, Short	15272K
Quad Driver, Swivel Head, Long	15273K
Drill Extender	G21204
Conversion Handle, Latch Type	G21277
Conversion Handle, Square Type	G21278
Surgical Manual	100001-EN01
Drill Usage Chart	100009-EN01
Wall Chart	100005-EN01
Implant Driver, Latch IFU	100052-EN01
KDG Folder	MK10004



Initial Drill

	DESCRIPTION	REF #
	2.0 mm Spade Drill	G21243
	2.0 mm Full Depth Twist Drill	G21244

Final Tapered Drills

	DESCRIPTION	REF #
	Ø 3.5 × 8.5 mm	G31008
	Ø 3.5 × 10 mm	G31009
	Ø 3.5 × 11.5 mm	G31010
	Ø 3.5 × 13 mm	G31011
	Ø 3.5 × 16 mm	G31012
	Ø 3.8 × 8.5 mm	G31013
	Ø 3.8 × 10 mm	G31014
	Ø 3.8 × 11.5 mm	G31015
	Ø 3.8 × 13 mm	G31016
	Ø 3.8 × 16 mm	G31017
	Ø 4.5 × 8.5 mm	G31018
	Ø 4.5 × 10 mm	G31019
	Ø 4.5 × 11.5 mm	G31020
	Ø 4.5 × 13 mm	G31021
	Ø 4.5 × 16 mm	G31022
	Ø 5.5 × 8.5 mm	G31023
	Ø 5.5 × 10 mm	G31024
	Ø 5.5 × 11.5 mm	G31025
	Ø 5.5 × 13 mm	G31026
	Ø 6.5 × 8.5 mm	G31027
Ø 6.5 × 10 mm	G31028	
Ø 6.5 × 11.5 mm	G31029	
Ø 6.5 × 13 mm	G31030	


Drill Extender

	DESCRIPTION	REF #
	Drill Extender	G21204
	Drill Extender, Short	60-70019

Depth Gauges

	DESCRIPTION	REF #
	Ø 3.5 × 10 - 11.5 mm	G31031
	Ø 3.5 × 13 - 16 mm	G31032
	Ø 3.8 × 8.5 - 10 mm	G31033
	Ø 3.8 × 11.5 - 13 mm	G31034
	Ø 3.8 × 16 mm	G31035
	Ø 4.5 × 8.5 - 10 mm	G31036
	Ø 4.5 × 11.5 - 13 mm	G31037
	Ø 4.5 × 16 mm	G31038
	Ø 5.5 × 8.5 - 10 mm	G31039
	Ø 5.5 × 11.5 - 13 mm	G31040
	Ø 6.5 × 8.5 - 10 mm	G31041
	Ø 6.5 × 11.5 - 13 mm	G31042

Surgical Taps

	DESCRIPTION	REF #
	Ø 3.5 × 10 - 11.5 mm	G31045
	Ø 3.5 × 13 - 16 mm	G31046
	Ø 3.8 × 11.5 - 16 mm	G21008
	Ø 4.5 × 10 - 13 mm	G21009
	Ø 4.5 × 16 mm	G21010
	Ø 5.5 × 8.5 mm	G21011
	Ø 5.5 × 10 - 13 mm	G21012
	Ø 6.5 × 8.5 mm	G21013
	Ø 6.5 × 10 - 13 mm	G21014

Parallel Pin

	DESCRIPTION	REF #
	4 Pack	G21211


Implant Driver, Ratchet

	DESCRIPTION	REF #
	Ø 3.5/3.8 mm	15282K
	Ø 4.1/4.5 mm	15283K
	Ø 5.5/6.5 mm	15284K

Implant Driver, Latch

	DESCRIPTION	REF #
	Ø 3.5/3.8 mm, Short	15770K
	Ø 3.5/3.8 mm, Long	15771K
	Ø 4.5 mm, Short	15772K
	Ø 4.5 mm, Long	15773K
	Ø 5.5/6.5 mm, Short	15774K
	Ø 5.5/6.5 mm, Long	15775K


Surgical Ratchet/Torque Wrench

	DESCRIPTION	REF #
	Surgical Ratchet/Torque Wrench	K15695

Ratchet Adapter

	DESCRIPTION	REF #
	Ratchet Adapter	15224K

Conversion Handles

	DESCRIPTION	REF #
	Conversion Handle, Latch Type	G21277
	Conversion Handle, Square Type	G21278

Quad Drivers

	DESCRIPTION	REF #
	Swivel Head, Short, 19mm	15272K
	Swivel Head, Long, 26 mm	15273K
	Torque Wrench, Short, 16 mm	15276K
	Torque Wrench, Long, 22 mm	15277K

GENESIS

GUIDED

SURGICAL KIT

GENESIS

Guided Surgical Kit

GUIDED

SURGICAL KIT



DESCRIPTION

REF #

Genesis® Guided Surgical Kit

15884K

Genesis® Guided Surgical Kit

DESCRIPTION

REF #

Contra Angle NSK

30-70324

Digital Guidance Sleeve (DGS) for NSK, Ø 4.1 mm

15916K

Digital Guidance Sleeve (DGS) for NSK, Ø 5.1 mm

15917K

Digital Guidance Sleeve (DGS) for NSK, Ø 5.8 mm

15918K

Tissue Punch Ø 3.4 mm

15927K

Tissue Punch Ø 4.2 mm

15928K

Tissue Punch Ø 5.1 mm

15929K

Ratchet Adapter

15942K

Quad Driver Swivel Head Long

15273K

TiLobe® SD Guided Implant Driver, Ø 4.1 mm Sleeve, Short

15961K

TiLobe® SD Guided Implant Driver, Ø 5.1 mm Sleeve, Short

15962K

TiLobe® SD Guided Implant Driver, Ø 5.8 mm Sleeve, Short

15963K

TiLobe® RD Guided Implant Driver, Ø 5.1 mm Sleeve, Short

15964K

TiLobe® RD Guided Implant Driver, Ø 5.8 mm Sleeve, Short

15965K

TiLobe® WD Guided Implant Driver, Ø 5.8 mm Sleeve, Short

15967K

TiLobe® SD Guided Implant Driver, Ø 4.1 mm Sleeve, Long

15968K

TiLobe® SD Guided Implant Driver, Ø 5.1 mm Sleeve, Long

15969K

TiLobe® SD Guided Implant Driver, Ø 5.8 mm Sleeve, Long

15970K

TiLobe® RD Guided Implant Driver, Ø 5.1 mm Sleeve, Long

15971K

TiLobe® RD Guided Implant Driver, Ø 5.8 mm Sleeve, Long

15972K

TiLobe® WD Guided Implant Driver, Ø 5.8 mm Sleeve, Long

15974K

Guided Pilot Drill Ø 2.0 mm, Short

15887K

Fixation Pin for Guided Surgery Ø 2.0 mm × 20 mm, 4 Pack

15886K


Fixation Pin Drill Ø 2.0 mm × 20 mm

15885K

Genesis® Guided Surgical Kit (Continued)

DESCRIPTION	REF #
Guided Drill Ø 3.8 mm for L8.5 mm Implant	15898K
Guided Drill Ø 3.8 mm for L10 mm Implant	15899K
Guided Drill Ø 3.8 mm for L11.5 mm Implant	15900K
Guided Drill Ø 3.8 mm for L13 mm Implant	15901K
Guided Drill Ø 3.8 mm for L16 mm Implant	15902K
Guided Drill Ø 4.5 mm for L8.5 mm Implant	15903K
Guided Drill Ø 4.5 mm for L10 mm Implant	15904K
Guided Drill Ø 4.5 mm for L11.5 mm Implant	15905K
Guided Drill Ø 4.5 mm for L13 mm Implant	15906K
Guided Drill Ø 4.5 mm for L16 mm Implant	15907K
Guided Drill Ø 5.5 mm for L8.5 mm Implant	15908K
Guided Drill Ø 5.5 mm for L10 mm Implant	15909K
Guided Drill Ø 5.5 mm for L11.5 mm Implant	15910K
Guided Drill Ø 5.5 mm for L13 mm Implant	15911K
Guided Initial Step Drill Ø 2.0/2.9 mm × 8.5 mm	15888K
Guided Initial Step Drill Ø 2.0/2.9 mm × 10 mm	15889K
Guided Initial Step Drill Ø 2.0/2.9 mm × 11.5 mm	15890K
Guided Initial Step Drill Ø 2.0/2.9 mm × 13 mm	15891K
Guided Initial Step Drill Ø 2.0/2.9 mm × 16 mm	15892K
Guided Drill Ø 3.5 mm for L8.5 mm Implant	15893K
Guided Drill Ø 3.5 mm for L10 mm Implant	15894K
Guided Drill Ø 3.5 mm for L11.5 mm Implant	15895K
Guided Drill Ø 3.5 mm for L13 mm Implant	15896K
Guided Drill Ø 3.5 mm for L16 mm Implant	15897K
Torque Ratchet	60-70042


NSK Handpiece

	DESCRIPTION	REF #
	NSK Contra Angle	30-70324

Digital Guidance Sleeve (DGS)

	DESCRIPTION	REF #
	Digital Guidance Sleeve (DGS) for NSK, Ø 4.1 mm	15916K
	Digital Guidance Sleeve (DGS) for NSK, Ø 5.1 mm	15917K
	Digital Guidance Sleeve (DGS) for NSK, Ø 5.8 mm	15918K


Short Pilot Drill

	DESCRIPTION	REF #
	Guided Pilot Drill Ø 2.0 mm, Short	15887K



Tissue Punch

	DESCRIPTION	REF #
	Tissue Punch Ø 3.4 mm	15927K
	Tissue Punch Ø 4.2 mm	15928K
	Tissue Punch Ø 5.1 mm	15929K

Implant Driver

	DESCRIPTION	REF #
	TiLobe® SD Guided Implant Driver, Ø 4.1 mm Sleeve, Short	15961K
	TiLobe® SD Guided Implant Driver, Ø 5.1 mm Sleeve, Short	15962K
	TiLobe® SD Guided Implant Driver, Ø 5.8 mm Sleeve, Short	15963K
	TiLobe® RD Guided Implant Driver, Ø 5.1 mm Sleeve, Short	15964K
	TiLobe® RD Guided Implant Driver, Ø 5.8 mm Sleeve, Short	15965K
	TiLobe® WD Guided Implant Driver, Ø 5.8 mm Sleeve, Short	15967K
	TiLobe® SD Guided Implant Driver, Ø 4.1 mm Sleeve, Long	15968K
	TiLobe® SD Guided Implant Driver, Ø 5.1 mm Sleeve, Long	15969K
	TiLobe® SD Guided Implant Driver, Ø 5.8 mm Sleeve, Long	15970K
	TiLobe® RD Guided Implant Driver, Ø 5.1 mm Sleeve, Long	15971K
	TiLobe® RD Guided Implant Driver, Ø 5.8 mm Sleeve, Long	15972K
	TiLobe® WD Guided Implant Driver, Ø 5.8 mm Sleeve, Long	15974K

Drills

	DESCRIPTION	REF #
	Guided Initial Step Drill Ø 2.0/2.9 mm × 8.5 mm	15888K
	Guided Initial Step Drill Ø 2.0/2.9 mm × 10 mm	15889K
	Guided Initial Step Drill Ø 2.0/2.9 mm × 11.5 mm	15890K
	Guided Initial Step Drill Ø 2.0/2.9 mm × 13 mm	15891K
	Guided Initial Step Drill Ø 2.0/2.9 mm × 16 mm	15892K
	Guided Drill Ø 3.5 mm for L8.5 mm Implant	15893K
	Guided Drill Ø 3.5 mm for L10 mm Implant	15894K
	Guided Drill Ø 3.5 mm for L11.5 mm Implant	15895K
	Guided Drill Ø 3.5 mm for L13 mm Implant	15896K
	Guided Drill Ø 3.5 mm for L16 mm Implant	15897K
	Guided Drill Ø 3.8 mm for L8.5 mm Implant	15898K
	Guided Drill Ø 3.8 mm for L10 mm Implant	15899K
	Guided Drill Ø 3.8 mm for L11.5 mm Implant	15900K
	Guided Drill Ø 3.8 mm for L13 mm Implant	15901K
	Guided Drill Ø 3.8 mm for L16 mm Implant	15902K
	Guided Drill Ø 4.5 mm for L8.5 mm Implant	15903K
	Guided Drill Ø 4.5 mm for L10 mm Implant	15904K
	Guided Drill Ø 4.5 mm for L11.5 mm Implant	15905K
	Guided Drill Ø 4.5 mm for L13 mm Implant	15906K
	Guided Drill Ø 4.5 mm for L16 mm Implant	15907K
	Guided Drill Ø 5.5 mm for L8.5 mm Implant	15908K
	Guided Drill Ø 5.5 mm for L10 mm Implant	15909K
	Guided Drill Ø 5.5 mm for L11.5 mm Implant	15910K
	Guided Drill Ø 5.5 mm for L13 mm Implant	15911K

Torque Ratchet

	DESCRIPTION	REF #
	Torque Ratchet	60-70042


Torque Ratchet Adapter

	DESCRIPTION	REF #
	Ratchet Adapter	15942K

GENESIS

Guided Surgical Kit Instruments


Quad Driver

	DESCRIPTION	REF #
	Swivel Head, Long, 26 mm	15273K



Fixation Pin Drill

	DESCRIPTION	REF #
	Fixation Pin Drill \varnothing 2.0 mm \times 20 mm	15885K

Fixation Pin

	DESCRIPTION	REF #
	Fixation Pin for Guided Surgery \varnothing 2.0 mm \times 20 mm, 4 Pack	15886K

Sleeves

	DESCRIPTION	REF #
	Tissue Support Guided Pin Sleeve	51000K*
	Guided Surgical Sleeve \varnothing 4.1 mm	51001K*
	Guided Surgical Sleeve \varnothing 5.1 mm	51002K*
	Guided Surgical Sleeve \varnothing 5.8 mm	51003K*

*Not included in the Genesis® Guided Surgical Kit.

GENESIS

SURGITCAT

MOTORS &
ACCESSORIES



Implantmed Surgical Motors

DESCRIPTION

REF #

SI-1015 Implantmed Motor Unit	WH-90000207
SI-1015 Implantmed Motor Unit, w/ Osstell	WH-90000208
SI-1015 Implantmed Motor Unit, WiFi Footpedal Upgrade	WH-90000209
SI-1015 Implantmed Motor Unit, WiFi Footpedal Upgrade w/ Osstell	WH-90000210
SI-1015 Implantmed Motor Unit, LED+ Motor Upgrade	WH-90000211
SI-1015 Implantmed Motor Unit, LED+ Motor Upgrade w/ Osstell	WH-90000212
SI-1015 Implantmed Motor Unit, Loaded	WH-90000213
SI-1015 Implantmed Motor Unit, Loaded w/ Osstell	WH-90000214



Implantmed Classic Motors

DESCRIPTION

REF #

Implanted Classic + WI-75 E/EM Handpiece non-LED

WH-90000270

Implanted Classic + W5-75 LG Handpiece LED

WH-90000271



Piezomed Surgical Unit & Accessories

DESCRIPTION	REF #
Piezomed Handpiece 1.8 m	WH-06985000
Foot Pedal Piezomed	WH-07004400
B6 Tip	WH-07022500
B7 Tip	WH-07022600
Piezomed Handpiece 3.5 m	WH-07159200
Instrument Set Special	WH-07173200
Instrument Kit EX	WH-07173500
Instrument Kit Crestal A	WH-07997090
Piezomed SA-320 1.8 m	WH-30078000
Piezomed SA-320 3.5 m	WH-30078001



Implantmed Surgical Handpieces

DESCRIPTION	REF #
WS-75 L G Contra-Angle 20:1 Dismantlable Handpiece with Mini LED + for Implant Surgery (10 - 2,000 rpm)	WH-30032000
WS-75 L 20:1, Contra-Angle (For Implantmed SI-1015 LC motor only)	WH-30033000
S-11 1:1 Straight (For Implantmed SI-1015 LC motor only)	WH-30058000
WS-75 Contra-Angle 20:1 Dismantlable Handpiece for Implant Surgery (10 - 2,000 rpm)	WH-30065000



Implantmed Surgical Motor Accessories

DESCRIPTION	REF #
Irrigation Tubing with Luer Lock, Green, 10 Pack	WH-00929300
Spray Cap for Service Oil (reusable replacement)	WH-02038200
Burr Testing Gauge (to check all 2.35 mm & 1.6 mm burrs)	WH-02139800
Irrigation Needle/Cannula (for use with internally irrigated drills)	WH-02610500
Storage Cassette	WH-04013500
Irrigation Tubing Clips, 5 Pack (for use with Implantmed SI-310 motors to hold tubing to motor cable)	WH-04019000
Irrigation Tubing and Spike Assembly, 6 Pack, Disposable (for use with Implantmed series & Elcomed SA-310 motors)	WH-04363600
Irrigation Spray Clip (new series), Left Side, E/KM, Black, 3 Pack	WH-04757100
Irrigation Spray Clip (old series), Black, 3 Pack	WH-05051000
Y-Connector Complete	WH-06016400
Irrigation Spray Clip (new series), Right Side, E/KM, Green, 3 Pack	WH-06946300
Irrigation Spray Clip (new series), Light Side, Green, 3 Pack	WH-06946400
Irrigation Spray Clip (new series), Right Side, Green, 3 Pack	WH-06946500
W&H F-1 Service Oil, 400 ml (special shipping & handling [aerosol can]; contact Customer Service for shipping rates)	WH-10940020
EM-19 Motor, 1.8 m cable, without LED + Port (for Implantmed SI-1015 only)	WH-30185000
Osstell ISQ Module (for Implantmed SI-1015 only)	WH-30210000
S-NW + Wifi Foot Pedal (for Implantmed SI-1015 only)	WH-30264000
S-NW + SPI Wifi Foot Pedal (for Elcomed SA-310 & Implantmed SI-915 white only)	WH-30264001
EM-19 Motor, 1.8 m cable, without LED + Port (for Implantmed SI-1015 only)	WH-30281000

Terms & Conditions

TERMS AND CONDITIONS OF SALE. The following are the terms and conditions by which Keystone Dental, Inc. sells its products. As used herein, the term "Keystone" means Keystone Dental, Inc. and its applicable affiliates; the term "Products" means the Keystone products and services described in this invoice, and "Purchaser" means the person or company purchasing the Products.

GOVERNING TERMS. Any purchase and shipment of Products shall be deemed to be on the terms and conditions stated herein. Any and all terms and conditions submitted by Purchaser are hereby rejected.

TAXES. The prices set forth herein do not include any sales, use, excise, ad valorem, property or other taxes applicable to the sale, use or delivery of the Products, all of which shall be paid by Purchaser separately or added to the contract price and paid by Purchaser to Keystone.

PRICES. The prices set forth for the Products are in United States Dollars. All prices shall be as of the invoice date, regardless of the date the Product is originally ordered from Keystone.

DELIVERY. Products sold hereunder shall be delivered F.O.B. shipping point. Purchaser shall assume responsibility for all subsequent delivery or shipping charges.

ACCEPTANCE. Purchaser must inspect all Products for defects and/or non-conformity within seven (7) calendar days of delivery. After this period, Purchaser will have accepted such Products.

PAYMENT. Payment terms shall be as set forth on the front of the invoice. If payment is late, the maximum statutory interest rate will apply on such late amount. Keystone may, in its sole discretion, suspend shipments of Products until full payment by Purchaser of all past due amounts to Keystone is made.

RETURN; EXCHANGE. Purchaser may return any Product within thirty (30) calendar days of the invoice date so long as there is an offsetting (exchange) order of equal or greater value. Purchaser may return any Product after thirty (30) calendar days from the invoice date, but no later than ninety (90) calendar days after the invoice date, so long as there is an offsetting (exchange) order of equal or greater value, provided, however, such returns shall be subject to a 15% re-stocking fee. Keystone will not accept any returns or exchanges after ninety (90) calendar days following the invoice date.

No biomaterial products (bone grafting and membrane) will be accepted for return or exchange. No returns or exchanges will be accepted for Products that (i) were originally sold as part of a kit, pack or set, (ii) were included on the original invoice at no charge, (iii) have less than six (6) months remaining before expiration or (iv) were custom ordered. The Purchaser shall pay all shipping costs associated with the return or exchange of a Product. No Products will be accepted by Keystone for return or exchange without an RMA number given to Purchaser by Keystone Customer Service. Returned Products must be unexpired, unopened and undamaged, returned freight prepaid.

WARRANTY. EXCEPT AS EXPRESSLY SET FORTH IN KEYSTONE'S LIFETIME IMPLANT WARRANTY PROGRAM, KEYSTONE DOES NOT MAKE ANY WARRANTY, EXPRESS OR IMPLIED, EXCEPT THAT ITS PRODUCTS SHALL BE FREE FROM DEFECTS IN MATERIAL AND/OR WORKMANSHIP. THIS WARRANTY APPLIES ONLY TO THE ORIGINAL PURCHASER. PURCHASER ASSUMES ALL RISKS AND LIABILITY RESULTING FROM THE USE OF THESE PRODUCTS,

WHETHER USED SEPARATELY OR IN COMBINATION WITH OTHER PRODUCTS. THE WARRANTY DOES NOT APPLY IF THE FAILURE OF THE PRODUCT IS CAUSED BY TRAUMA OR ACCIDENT OR BY THE PATIENT IN WHOM THE IMPLANT WAS INSTALLED OR IF THE PURCHASER IS NOT CURRENT ON ALL OUTSTANDING PAYMENTS TO KEYSTONE AT THE TIME OF SUCH CLAIM. KEYSTONE MAY MODIFY OR TERMINATE ITS WARRANTY PROGRAM AT ANY TIME, HOWEVER ANY CHANGES TO THE WARRANTY PROGRAM WILL NOT AFFECT PRODUCTS ALREADY PURCHASED AT THE TIME OF SUCH CHANGE. PURCHASER'S SOLE REMEDY WITH RESPECT TO CLAIMS RELATED TO KEYSTONE PRODUCTS IS RESTRICTED TO THE WARRANTY POLICY.

LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES SHALL KEYSTONE OR ANY OF ITS AFFILIATES BE LIABLE FOR BUSINESS INTERRUPTION, LOSS OF PROFITS, SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE AND FROM ANY CAUSE WHETHER BASED IN CONTRACT, WARRANTY OR TORT (INCLUDING NEGLIGENCE) OR OTHER LEGAL THEORY, EVEN IF KEYSTONE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

INTELLECTUAL PROPERTY. All intellectual property rights in Products sold to Purchaser shall remain the exclusive property of Keystone and its licensors.

PERSONAL DATA. It is Purchaser's responsibility to obtain patient's consent to transfer any personal data to Keystone.

TERMINATION. Keystone may terminate this or any agreement with Purchaser to purchase its products upon immediate written notice if Purchaser fails to pay any of its debt obligations to Keystone on time.

FORCE MAJEURE. Keystone shall not be liable for any loss or damage due to failure or delay arising out of any cause beyond the reasonable control of Keystone. In the event of any failure or delay resulting from such causes, an equitable adjustment of delivery and any other appropriate terms and conditions shall be made. No such failure or delay shall be the basis for an increase in Keystone's obligations, nor any termination by Purchaser.

VALIDITY. If any provision of these Terms and Conditions is found to be illegal or unenforceable in any respect, such illegality or unenforceability shall not affect any other provision of these Terms and Conditions, all of which shall remain enforceable in accordance with their terms.

GENERAL PROVISIONS. The purchase of the Products and these Terms and Conditions are governed by the laws of the Commonwealth of Massachusetts, without regard to conflicts of law principles. Any dispute, claim or controversy arising out of or in connection with the purchase of the Products shall be resolved by arbitration in Boston, Massachusetts. This document incorporates all oral and written representations between the parties and constitutes the entire agreement and understanding of the parties with respect to the subject matter hereof and supersedes any and all other agreements either oral or written between the parties with respect to such subject matter. No amendment or modification may be made to this document unless in writing and duly executed by an authorized representative of Keystone. Keystone may subcontract, assign or transfer its obligations or rights to a competent third party. Purchaser may not assign or transfer any of its obligations without the consent of Keystone.

Global Headquarters

154 Middlesex Turnpike
Burlington, MA 01803, USA
Tel: +1 781-328-3490
Toll-free: 866-902-9272
www.KeystoneDental.com

Global KDG Offices:

USA

KeystoneDentalGroup Irvine
13645 Alton Pkwy
Irvine, CA 92618, USA

Israel

Paltop Advanced Dental Solutions, Ltd.
Hashita 5, Industrial Park P.O. Box 3568
Caesarea 3088900, Israel

Australia

Osteon Medical Headquarters
767 Springvale Road
Mulgrave VIC 3170, Australia

France

Osteon Medical Europe
11 A, Bat B, rue des Aulnes
Champagne au Mont d'or, 69410, France

Japan

Osteon Digital Japan
3-chōme-5-4 Nagayoshi Kawanabe
Hirano Ward, Osaka, 547-0014, Japan



Keystone Dental makes a charitable donation to the American Cancer Society for every Genesis implant sold.